Byggvarubedömningen's guideline and information requirements for assessment of product, Version 2016-1.

These guidelines describe what information that Byggvarubedömningen requires for assessment of articles and chemical products. Information about the article or chemical product can be provided in this document, alternatively refer to another documentation in which the corresponding information is given.

1. Product information

Product

Product name:	Hilti HIT-HY 270, component A				
Article No.:	All sizes				
Specify the type of number, for example RSK, E number, EAN, GTIN or supplier's article number. This should also be stated on the application.					
Product description:					
On application, please attach a product data sheet or similar documentation.					
Type of product:	X Chemical product	☐ Article			
Date (year, month, day) of preparation/revision:	20190219				
Supplier/Manufacturer					
Supplier:	Hilti Svenska AB				
Manufacturer if other than the supplier: Voluntary information					
Contact person:	Nelly Johansson				
· ·	,				
Address:	Testvägen 1, 23222 Arlöv				
E-mail:	Nelly.johannson@hilti.com				
Phone number:	020555999				
Supporting documentation					
Has a declaration of performance, in line with the Swedish Construction Products Regulation, been prepared for the product?	Yes	X No			
If yes, attach the declaration of perfo	rmance with the application				
Is the article/product an electronic product and covered by the RoHS-directive (2011/65/EU)?	☐ Yes	X No			
If yes, attach an "EU Declaration of O product corresponds to the requirement application					
If the article/product is an electronic product that is covered by an exemption according to RoHS-directive (2011/65/EU), specify which exemption and date (year, month, day) when the exemption expires if time-limited:	Exemptions according to RoHS: Date:				

2. Declaration of contents:

Specify the total content of the article or the chemical product, on delivery, in Table 1, or alternatively attach other documentation that provides the corresponding information. For instructions, please refer to the "Declaration of contents, BVB's declaration requirements, 2016-1", which is found at the end of this document.

Table 1, Contents of included subst	ances and mate	erial (de	Table 1, Contents of included substances and material (declaration of content in accordance with requirements)							
Included substances and material	No./CAS No. (alternatively alloy)	Weight? (of entire product)		When applicab state for which subcom		Weight ^c (of substa in subcompo	ance	Comments (state eventual application of non- harmonized classifications)		
Non-public										
Are all substances reported in per 0.01% in Table 1, alternatively for requirements for the level Recommended in "Declaration of content declaration requirements, 2016-1 of this document? (Enables the assessment Recommended)	ollow the declar imended as ents, BVB's	ation	X Ye	S		□ No				
If not, does the declaration fulfill the level Accepted, as described contents, BVB's declaration requigiven at the end of this documen	in "Declaration rements, 2016	of	☐ Yes ☐ No							
If any deviations from BVB's repo exist, specify these in the comme alternatively here.			Othe	r commer	nts:					
Is the chemical composition diffe when applied (cured product) corcontent at delivery? (applies to cl	npared to the		⊠ Y	☑ Yes ☐ No						
If yes, specify the content of the	cured product	in Tabl	e 2.							
Table 2, Contents for applied produ										
Included substances and mate	erial	(of ti		(of the applied (product)		(state	ments any application n-harmonized fications)			
Non-public										
If any deviations from BVB's reporting requirements exist, specify these in the comments in Table 2, or alternatively here. Other comments:										

Does the product or any contain substances with properties (Substances of substances), which are if at a concentration above	particularly haz of Very High Col ncluded in the (e 0.1 weight%?	ardous ncern, SVHC- Candidate List	X Yes		□ No		
If yes, specify which substances in Table 1 together with the rest of the content of the product.							
State the date (year, month, day) for control the Candidate List. Date: 20190219							
The concentration is calculated at component level established on the principle "once a product, always a product".							
The Candidate List is ava	The Candidate List is available at: http://echa.europa.eu/sv/candidate-list-table.						
Nanomaterial							
Does the product contain been purposefully added function?			X Yes		□ No		
Information regarding whet added to achieve a specific no impact on the assessme	function must be .						
If yes, specify the mater	ial.		Material: si	lica CAS no. 67	762-90-7		
3. Recycled raw	material						
Does the product contain	n recycled mate	rial?	☐ Yes		X No		
If yes, specify in Table 3							
If the product consists of product, in <i>Table 3, Recycled material</i>	cled materials.			,		, and the second	
Material	Percentage (%) Recycled material of the total product's weight	Percentage of the recycled has not reached consumer level, production was consumer)	material that d the . such as	Percentage (of the recycled I has reached the level (post-cons	material that consumer	Comments	
If wood raw material is in	cluded						
		a la ilita .					
Can the product be ordered with sustainability certificates for the wood raw material? <i>E.g.: FSC and PEFC</i>							
Explain if the certificate does not cover all of the wood raw material:							
If yes, attach a certificate/assurance that the product can be ordered with a sustainability certificate together with the application.							
If no, state the country was harvested.	If no, state the country where the wood raw material was harvested. Country of harvest:						
Is the wood species or origin in the CITES appendix for endangered species?							

4. The production phase

Has an Environmental Product Declaration (EPD) been prepared?	☐ Yes	X No				
If yes, enclose the EPD (Environmental Product Declaration) or other environmental product declaration together with the application.						
Has an active choice been made, regarding the electricity supplier, in order to promote electricity production from renewable energy sources?	☐ Yes	X No				
Describe the type of energy source, percentage of energy stemming from the renewable source, how long the agreement has been applied, electricity supplier, and for which part of the production it is valid for:						

5. Distribution of the completed product

Describe the management of packaging for the distribution of the product State whether any system for taking back or recycling packaging or any other specific return system is used.	Description of the packaging: Hilti HIT uses a unique dispenser with refill system (cassette & foil pack) to minimize packaging waste
Specify the packaging material used and which system of producer responsibility for packaging the supplier is affiliated to.	Outer packaging foil (PE) and IFU (paper) can be recycled
Enter the proportion of recycled material, if any, included in the packaging.	
Other information:	

6. Construction and usage phase

Are there any special requirements such as storage conditions etc. for the product during storage?	X Yes		□ No	
If yes, describe: cool, dry, dark between 5°C - 25°C				
Are there any special requirements for adjacent building products because of this product?	X Yes		□ No	
If yes, describe: base material temp5°C - +40°C during installation; solid bricks +5-40°C				
Are there any operating/care instructions for the product?	☐ Yes		X No	
If yes, attach the documentation with the application.				
Is the product energy labelled in accordance with the Energy Labelling Directive (2010/30/EU)?	☐ Yes	□ No		X Not relevant
If yes, state class (G to A, A+, A++, A+++):	Class:			

7. Waste management

Does the product require special measures to protect health and the environment in conjunction with demolition/dismantling?	x Yes	□ No				
If yes, describe: Use dust protection during demolition of cured chemical anchor						
Is the product covered by the WEEE-directive 2012/19/EU (Swedish ordinance (2014:1075) on Producer Responsibility for electrical and electronic products when it becomes waste?	☐ Yes	X No				
Is it possible to re-use all or parts of the product? (can the product be reused within the product's expected lifetime)?	Yes	X No				
If yes, describe:						
Is material recycling possible for all or parts of the product when it becomes waste?	X Yes	□ No				
If yes, describe: Outer packaging foil (PE) and IFU (paper) can be recyc	led					
Is energy recycling possible for all or parts of the product when it becomes waste?	X Yes	□ No				
Does the supplier have any restrictions and recommendations for reuse, material- or energy recycling or disposal?	Yes	X No				
If yes, specify which:						
When the supplied product becomes waste, is it classified as hazardous waste?	X Yes	□ No				
If yes, specify the waste code: The Swedish waste ordinance (2011:927) https://www.notisum.se/rnp/sls/lag/20110927.htm	Waste code: 08 04 09* / 20 01 27*					
8. Indoor environment						
Has the product a critical moisture condition: Information regarding whether critical moisture conditions leading to microbial growth apply for the material/product should be stated, but will not impact the assessment.	Yes	X No				
If yes, specify which:						
Is the article (or chemical product) intended for indoor use?	X Yes	□ No				
If yes, has emission data been produced for volatile organic compounds?	X Yes	□ No				
If yes, attach the report/certificate together with the a	pplication.					
If no, is there any motivation for why emission data for volatile organic compounds is not relevant for the product?	Motivation:					

Certificate of substance content and concentrations version. 4.0

This certificate is required for the Recommended assessment level for chemical contents. This page should be printed to be signed and uploaded separately in PDF-format in connection with the application.

Certificate of declaration of substance content

		specified below, with their stated article numbers, the following is certified: to certify alternative A or B.
0110030	Wilding	It is hereby certified that concentrations of the included substances down to 0.01 weight% have been reported, and that cadmium and mercury do not occur in the product.
Α	Χ	or:
		The substances included are reported in line with the instructions for the Declaration of Contents, BVB's reporting requirements 2016-1, and correspond to the reporting requirements for the Recommended level.
		It is hereby certified that concentrations of the included substances down to 0.1 weight% have been reported, and that cadmium and mercury do not occur in the product.
В		or:
		The substances included are reported in line with the instructions for the Declaration of Contents, BVB's reporting requirements 2016-1, and correspond to the reporting requirements for the Accepted level.
	•	specified below, with their stated article numbers, the following is certified: to certify alternative C or D.
C		It is hereby certified that the specified product/s do not contain specifically indicated substances and groups of substances in accordance with Table 4, Specifically indicated substances. These have not been added during production and have not been formed through reactions between the substances in the product.
D		Unfortunately, we have to notify that the specified products contain specifically indicated substances in accordance with Table 4, Specifically indicated substances. Some of these substances have been added or been formed during reaction between the substances in the product, please see the Declaration of Contents.

Table 4, Specifically indicated substances

Substance group/Substance	Examples of properties
1. Arsenic and its compounds ¹	Toxic, Environmentally hazardous
2. Brominated flame retardants	Potentially PBT/vPvB, PBT/vPvB
3. PFOA (perfluorooctanioic acid)	Persistent, bioaccumulative, probable reproductive toxicity
4. PFOS (perfluorooctanesulfonates)	Potentially PBT/vPvB, PBT/vPvB
5. Organotin compounds	Potentially PBT/vPvB, PBT/vPvB, Toxic, Environmentally hazardous
6. Biocidal product applied on products (surface treatments) to provide a disinfectant or antibacterial effect.	Toxic, Environmentally hazardous

¹ Arsenic, or arsenic compounds, are not permitted to be added to the product. Contamination of used raw materials is not permitted to exceed 10 mg/kg. The concentration limit is set based on regulatory requirements for soil quality to ensure that accepted products do not raise background concentrations through their use or disposal (for example; sludge from sewage treatment works Swedish Ordinance 1998:944, Section 20). The same concentration limits are found in the Swedish Environmental Protection Agency's general guidelines for less sensitive land use (MKM).

Product identification:	Hilti HIT-HY 270, component A, all sizes
(designation and article number)	
State the reference document (name and version/date) that contains the actual Declaration of Contents:	not-public_HIT-HY 270_A_201902
Person responsible for the declaration:	Martina Schnatz
Signature:	i.A. Mardin Salvato
Place and date (year, month, day):	2019-02-19

Declaration of contents, BVB's declaration requirements, 2016-1

A complete declaration of contents in accordance with the instructions should be made for both products and chemical products. For products, concentrations have to be reported as a weight% for the entire product as minimum. The contents can be provided in other documentation, if the reporting instructions are complied with, or alternatively supplemented so that they are in compliance. Reporting requirements for the Accepted level correspond to the requirements for "e-BVD2015".

For the Accepted and Recommended levels, classified substances are needed to be reported in the documentation if concentrations exceed limits (weight%) in accordance with *Table 5, Classified substances*. Those substances that are not included in Table 5 must be reported when concentrations of $\geq 2\%$ occur.

Material and substance contains can be provided in intervals. Examples of accepted intervals are: $\leq 1\%$, 1-2.5%, 2.5-10%, 10-25%, 25-50%, 50-75%, 75-100%. In occasion of large intervals, state the reason for the variance and describe what materials/substances increase or decrease in proportion if the product, for example, comes in different sizes.

If classification is applied that is not covered by harmonized classification, this information requires to be reported in the comments column for that substance.

Table 5, Classified substances

Hazard class	Reporting limit			
	Accepted	Recommended		
Carcinogenic categories 1A and 1B (H350)	≥ 0.1%	≥ 0.01%		
Carcinogenic category 2 (H351)	≥ 1%	≥ 0.1%		
Mutagenic categories 1A and 1B (H340)	≥ 0.1%	≥ 0.01%		
Mutagenic category 2 (H341)	≥ 1%	≥ 0.1%		
Reproductive toxicity, categories 1A and 1B (H360)	≥ 0.3%	≥ 0.03%		
Reproductive toxicity, category 2 (H361)	≥ 2%	≥ 0.3%		
Reproductive toxicity effects on or through breastfeeding (H362)	≥ 0.3%	≥ 0.03%		
Endocrine disruptors 1, 2	≥ 0.1%	≥ 0.01%		
PBT and/or vPvB ³	≥ 0.1%	≥ 0.01%		
Skin sensitizers (H317)	≥ 1%	≥ 0.1%		
Respiratory sensitizers (H334)	≥ 0.2%	≥ 0.02%		
Hazardous to aquatic environments, chronic category 1 (H410)	≥ 2%	≥ 0.25%		
Ozone depleting substances (EUH 059 and H420)	≥ 0.1%	≥ 0.01%		
Acute toxicity category 1 (H300, H310, H330, H301, H311 and/or H331)	≥ 0.1%	≥ 0.01%		
Acute toxicity category 2 (H300, H310, H330, H301, H311 and/or H331)	≥ 1%	≥ 0.1%		
Acute toxicity category 3 (H300, H310, H330, H301, H311 and/or H331)	≥ 2%	≥ 1%		
Pure or compounds of cadmium (Cd)	≥ 0.01%	≥ 0.001%		
Pure or compounds of lead (Pb)	≥ 0.1%	≥ 0.01%		
Pure or compounds of mercury (Hg)	Contamination ≥ 2 additives must alw	2.5 mg/kg (ppm) of active rays be reported.		
¹ Endocrine disruptors (EDS list)	≥ 0.1%	≥ 0.01%		
² Endocrine disruptors (SIN list)		≥ 0.01%		
³ PBT, vPvB (SIN list)	≥ 0.1%	≥ 0.01%		
Candidate List	≥0.1%*	≥ 0.01%		
Other classifications or unclassified substances and material	≥ 2%	≥ 2%		

^{*}Substances on the Candidate List have to be reported at component level.

Descriptions of material

Substances should be reported with their CAS- or EC number. Exemptions for certain material can be performed in accordance with the following instructions.

Metals should always be reported together with their alloy number. Alternatively, substances comprising more than 0.01% of the alloy has to be specified in the documentation.

Plastics and rubber materials should be reported together with their name so that it is clearly which monomers that are included, for example, acrylonitrile butadiene styrene (ABS), polyethylene (PE), etc. Additives that have not formed polymers should always be reported in accordance with requirements specified above (for example pigments, plasticizers, stabilizers, etc.).

Plastics/polymers with descriptions in line with the following list are accepted without specification of monomers.

- Polycarbonate (pertains to bisphenol A based polycarbonates)
- Polyester (monomers must be specified for halogenated polyesters)
- Polyurethane (monomers must be specified for halogenated polyurethanes)
- Fiberglass reinforced epoxy resin laminates FR4 (pertains to tetrabromobisphenol A based polymers)
- MS-polymer (refers to silane modified polyether)

Note that if the plastic/polymer contains additives (such as pigments, plasticizers, stabilizers, etc.), they shall always be reported in accordance with the declaration requirements.

Other materials with the following descriptions are accepted without clarification or detailed description of their components as the materials normally consist of:

- Glass (any content of lead needs to be reported for the assessment level recommended, e.g. relevant for recycled glass)
- Concrete (polymers included in the concrete are reported separately)

Examples of designations of plastics/polymers and other material descriptions that require further clarification are:

- Polymer dispersion
- Copolymer
- Thermoplastic elastomers (TPE)
- Thermoplastics
- MS polymers
- Mineral fillers
- Silanes: The type of polymer needs to be given, e.g. if it refers to a silane/silyl modified polyether or polyurethane.
- PVC: for contents above 2%, plasticizers always needs to be given with CAS no. Concentration of plasticizers below 2%, needs to be declared according to declaration requirements specified in Table 5. If no plasticizer is declared, the reason for that needs to be given.
- EPDM and SBR rubber: for levels above 2%, mineral/paraffin oil always needs to be given with CAS no. As an alternative, the maximal PAH content in the material can be given. For products intended to be used in contact with skin, the maximum content of PAH content shall be reported.
- The PAH content in the material needs to be reported for the assessment level recommended when asphalt/bitumen is present above 10% in the product.

For complex products, references to subcomponents which are assessed in BVB 's systems with a specified BVB ID, can be used.