

BUILDING PRODUCT DECLARATION BPD 3

in compliance with the guidelines of the Ecocycle Council, June 2007

1 Basic data

Product identification		Document ID BPD_1.0_HRD-C 10				
Product name	Product no/ID designation			Product group		
Hilti HRD-C 10 Fasadplugg	All Sizes			ZBE		
New declaration	In the ca	se of a revise	d declarati	on		
Revised declaration			The change	relates to		
	🗌 No	Tes Yes	Changed product can be identified by			
Drawn up/revised on (date) 16.04.2012		Inspected w	vithout revision on (date)			
Other information:						

2 Supplier information

Company nameHilti Svenska AB			Company reg. no/DUNS no 556064-7348			
Address	Address Box 123			Contact person		
	232 22 Arlöv, Sweden			Telephone 040 539300		
Website: www.hilti.se			E-mail info@se.hilti.com			
Does the comp	any have an enviro	onmental manage	ment system?	🛛 Yes	🗌 No	
The company p certification in	compliance with	🛛 ISO 9000	X ISO 14000	Other	If "other", please specify:	
Other informat	ion:					

3 Product information

Country of final manufactu	ire Germany	If country cannot be stated, please state why					
Area of use Light duty fastening for a huge range of applications in virtually all base materials							
Is there a Safety Data Shee	t for this product?			Not relevant	🗌 Yes	🗌 No	
In accordance with the regu Chemicals Agency, please		Classification Labelling			Not relevant		
Is the product registered in	BASTA?				Yes	🛛 No	
Has the product been co-labelled?	Criteria not found	Yes	🖾 No	If "yes", please spe	ecify:		
Is there a Type III environmental declaration for the product?					🗌 Yes	🖾 No	
Other information:							

4 Contents (To add a new green row, select and copy an entire empty row and paste it in)

Constituent materials/ components	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classifi- cation	Comments
Anchor body	Polyamide 6	15%	25038-54-4		
Drive screw	Steel, galvanized	85%	1.1132 1.5525 1.0234		Weight % average for 10x80 frame anchor

Other information:							
If the chemical composition of the product after it is built in differs from that at the time of delivery, the content of the finished built in product should be given here. If the content is unchanged, no data need be given in the following table.							
Constituent materials/ components	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classifi- cation	Comments		
Other information:							

5 Production phase

Resource utilisation and environmental imp ways:	pact during production of	of the item is repo	rted in one of the following
1) Inflows (goods, intermediate goods, en outflows (emissions and residual produ	ergy etc) for the registere acts) from it, i.e. from "ga	d product into the i te-to-gate".	manufacturing unit, and the
\square 2) All inflows and outflows from the extr	,	U	i.e. "cradle-to-gate".
3) Other limitation. State what: cradle-to		-	
The report relates to unit of product	Reported product	The product's	s The product's
1 piece HRD-C 10x100 (32,51g)		product group	production unit
Indicate raw materials and intermediate go	ods used in the manufactu	re of the product	Not relevant
Raw material/intermediate goods	Quantity and unit		Comments
Steel	27,60g		
Polymer	4,91g		
Indicate recycled materials used in the manu	facture of the product		Not relevant
Type of material	Quantity and unit		Comments
Enter the energy used in the manufacture of the	he product or its compone	ent parts	Not relevant
Type of energy	Quantity and unit		Comments
Energy (heat of combustion)	1,38 MJ		Raw materials
Energy reg. (heat of combustion)	3,39·10 ⁻² MJ		Raw materials
Energy (heat of combustion)	1,10 MJ		Product manufacturing
Energy reg. (heat of combustion)	9,17·10 ⁻² MJ		Product manufacturing
Enter the transportation used in the manufac	ture of the product or its o	component parts	Not relevant
Type of transportation	Proportion %		Comments
Sea	78		16800km; 0,3kg
Truck	22		4716km; 0,7kg
Enter the emissions to air, water or soil from component parts	the manufacture of the p	roduct or its	Not relevant
Type of emission	Quantity and unit		Comments
Global warming potential	0,101 kg CO ₂ -Equiv.		Raw materials
(GWP 100years)			
Acidification potential (AP)	3,03·10 ⁻⁴ kg SO ₂ Equ		Raw materials
Ozone depletion potential	6,05·10 ⁻¹⁰ kg R11 Eq	uiv.	Raw materials
(ODP, catalytic)			
Photochemical Ozone creation pot. (POCP)	4,13·10 ⁻⁵ kg Ethen-Eo	quiv.	Raw materials

Global warming potential (GWP 100years)		0,063 kg CO	0,063 kg CO ₂ -Equiv.		Pr	Product manufacturing	
Acidification potential (AP)		5,23·10 ⁻⁴ kg \$	SO ₂ Equiv.		Pr	oduct manufacturing	
Ozone depletion potential		1,28·10 ⁻⁹ kg l			Pr	oduct manufacturing	
(ODP, catalytic)							
Photochemical Ozone creat (POCP)	tion pot.	3,03·10 ⁻⁵ kg E	Ethen-Equiv.		Pr	oduct manufacturing	
Enter the residual products fr	om the manufac	cture of the prod	uct or its compo	onent parts		Not relevant	
			Proportion rec	cycled			
			Material	Energy			
Residual product	Waste code	Quantity	recycled %	recycled %		Comments	
Dangereous waste		1,19·10 ⁻³ kg				Raw materials	
Inert waste		3,3·10 ⁻¹ kg				Raw materials	
Radioactive waste		6,05·10 ⁻⁶ kg				Raw materials	
Nonhazardous waste		9,17·10 ⁻⁴ kg				Raw materials	
Dangereous waste		0 kg				Product manufacturing	
Inert waste		1,65 10 ⁻¹ kg				Product manufacturing	
Radioactive waste		1,28·10 ⁻⁴ kg				Product manufacturing	
Nonhazardous waste		8,16·10 ⁻⁵ kg				Product manufacturing	
Is there a description of the data accuracy for the manufacturing data?	Yes Yes	🗌 No	If "yes", please specify: Details see "PCF_Group 1 Galvanized"				
Other information:							

6 Distribution of finished product

Does the supplier put into practice a system for returning load carriers for the product?	Not relevant	☐ Yes	🛛 No
Does the supplier put into practice any systems involving multi-use packaging for the product?	Not relevant	Yes	No No
Does the supplier take back packaging for the product?	□ Not relevant	Yes	🛛 No
Is the supplier affiliated to REPA?	Not relevant	Yes Yes	🗌 No
Other information:			

7 Construction phase

Are there any special requirements for the product during storage?	Not relevant	Yes	No No	If "yes", please specify:
Are there any special requirements for adjacent building products because of this product?	Not relevant	🗌 Yes	🛛 No	If "yes", please specify:
Other information:				

8 Usage phase

Does the product involve any special requirements for intermediate goods regarding operation and maintenance?			Yes	🛛 No	If "yes", please specify:	
Does the product have any special energy supply requirements for operation?			Yes	🖾 No	If "yes", please specify:	
Estimated technical service life for t	he product i	s to be enter	ed according	to one of th	e following o	options, a) or b):
a) Reference service life estimated as being approx.	5 years	10 June 10 Jun	15 years	25 years	$\bigotimes >50$ years	Comments
b) Reference service life estimated to be in the interval of years						
Other information:						

Data in fields highlighted in green are requriements in compliance with the Ecocycle Council guidelines.

9 Demolition

Is the product ready for disassembly (taking apart)?	Not relevant	Xes Yes	🗌 No	If "yes", please specify: Anchor can be removed completely
Does the product require any special measures to protect health and environment during demolition/disassembly?	Not relevant	Tes Yes	🗌 No	If "yes", please specify:
Other information:				

10 Waste management

Is it possible to re-use all or parts of the product?	Not relevant	Xes Yes	🗌 No	If "yes", please specify: Screw could be reused		
Is it possible to recycle materials for all or parts of the product?	Not relevant	Xes Yes	🗌 No	If "yes", please specify: All materials can be fully recycled		
Is it possible to recycle energy for all or parts of the product?	Not relevant	Xes Yes	🗌 No	If "yes", please specify: Anchor body can be recycled to engergy		
Does the supplier have any restrictions and recommendations for re-use, materials or energy recycling or waste disposal?	Not relevant	TYes Yes	🖾 No	If "yes", please specify:		
Enter the waste code for the supplied product 1	7 04 05, 17 02 03					
Is the supplied product classed as hazardous wa	iste?			🗌 Yes 🛛 🖾 No		
If the chemical composition of the product differs after having been built in from that which it had at the time of delivery, meaning that another waste code is given to the finished built in product, then this should be entered here. If it is unchanged, the following details can be omitted.						
Enter the waste code for the built in product						
Is the built in product classed as hazardous was	te?			Yes No		
Other information:						

11 Indoor environment (To add a new green row, select and copy an entire empty row and paste it in)

When used as intended, the product gives off the following emissions:				The product does not have any emissions	
Type of emission	Quantity [µg/m ² h] or [mg/m³h]	Met	hod of	Comments
	4 weeks	26 weeks	mea	isurement	
Can the product itself give rise to any noise?				lot relevant	Yes No
Value		Unit	Met	Method of measurement	
Can the product give rise to electrical fields?				Not relevant	Yes No
Value		Unit	Met	Method of measurement	
Can the product give rise to magnetic fields?			1	Not relevant	Yes No
Value		Unit	Met	Method of measurement	
Other information:					

References

Appendices