

## **BUILDING PRODUCT DECLARATION BPD 3**

in compliance with the guidelines of the Ecocycle Council, June 2007

#### 1 Basic data

Product identification			Document ID BPD_1.0_HRD-CR						
Product name	Product no/ID designation All Sizes			Product group					
Hilti HRD-CR Fasadplugg				ZBE					
New declaration     ■	In the ca	se of a revise	d declaration	on					
Revised declaration	Has the product been changed?		The change relates to						
	□ No □ Yes Changed pr		Changed pr	product can be identified by					
Drawn up/revised on (date) 16.04.2012		Inspected without revision on (date)							
Other information:									

## 2 Supplier information

Company nameHilti Svenska AB				Company reg. no/DUNS no 556064-7348			
Address Box 123			Contact person				
232 22 Arlöv, Sweden				Telephone 040 539300			
Website: www.hilti.se			E-mail info@se.hilti.com				
Does the company have an environmental management system?			⊠ Yes	□ No			
The company possesses			Other	If "other", please specify:			
Other informat	ion:						

#### 3 Product information

Country of final manufac	cture Germany	If country of	cannot be sta	,		
Area of use Light Duty fastening for a huge range of applications in virtually						aterials
Is there a Safety Data Sh	eet for this product?			Not relevant     ■	Yes	☐ No
	egulations of the Swedish	Classification			Not relevant     ■	
Chemicals Agency, pleas	se state:	Labelling				
Is the product registered				Yes	⊠ No	
Has the product been eco-labelled?	Yes	⊠ No	If "yes", please specify:			
Is there a Type III enviro	onmental declaration for the	e product?			☐ Yes	⊠ No
Other information:			·			

#### **4 Contents** (To add a new green row, select and copy an entire empty row and paste it in)

At the time of delivery, the product comprises the following parts/components, with the chemical composition stated:							
Constituent materials/ components	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classifi- cation	Comments		
Anchor body	Polyamide 6	15%	25038-54-4				
Drive screw	Stainless steel	85%	1.4401 1.4362		Weight % average for 10x80 frame anchor		

Data in fields highlighted in green are requriements in compliance with the Ecocycle Council guidelines.

Other information:									
If the chemical composition of the product after it is built in differs from that at the time of delivery, the content of the <b>finished built in product</b> should be given here. If the content is unchanged, no data need be given in the following table.									
Constituent materials/ components	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classifi- cation	Comments				
Other information:									

# 5 Production phase

Resource utilisation and environmental imp ways:	pact during production o	of the item is repo	rted in	one of the following				
1) Inflows (goods, intermediate goods, energy etc) for the registered product into the <b>manufacturing unit</b> , and the outflows (emissions and residual products) from it, i.e. from "gate-to-gate".								
2) All inflows and outflows from the extraction of raw materials to finished products i.e. "cradle-to-gate".								
	-grave	-		•				
The report relates to unit of product 1 piece HRD-CR 10x100 (38,34g)	Reported product	The product's product group	S	The product's production unit				
Indicate raw materials and intermediate goo	ods used in the manufactu	re of the product	☐ Not relevant					
Raw material/intermediate goods	Quantity and unit		Com	nents				
Steel	33,43							
Polymer	4,91							
Indicate recycled materials used in the manu	facture of the product		⊠N	ot relevant				
Type of material	Quantity and unit		Com	ments				
Enter the <b>energy</b> used in the manufacture of the	he product or its compone	nt parts	☐ Not relevant					
Type of energy	Quantity and unit		Comments					
Energy (heat of combustion)	1,55 MJ			Raw materials				
Energy reg. (heat of combustion)	4,02·10 <sup>-2</sup> MJ		Raw materials					
Energy (heat of combustion)	0,971 MJ		Prod	uct manufacturing				
Energy reg. (heat of combustion)	7,38·10 <sup>-2</sup> MJ		Prod	uct manufacturing				
Enter the <b>transportation</b> used in the manufac	ture of the product or its c	component parts	☐ Not relevant					
Type of transportation	Proportion %		Comments					
Sea	78		16800km; 0,3kg					
Truck	22		4716km; 0,7kg					
Enter the <b>emissions to air, water or soil</b> from component parts	the manufacture of the pr	roduct or its	□N	ot relevant				
Type of emission	Quantity and unit		Com	ments				
Global warming potential	0,117 kg CO <sub>2</sub> -Equiv.		Raw	materials				
(GWP 100years)								
Acidification potential (AP)	3,5·10 <sup>-4</sup> kg SO₂ Equiv.			Raw materials				
Ozone depletion potential	7,12·10 <sup>-10</sup> kg R11 Equiv.			materials				
(ODP, catalytic)								
Photochemical Ozone creation pot. (POCP)	4,79·10 <sup>-5</sup> kg Ethen-Ed	quiv.	Raw	materials				
Global warming potential (GWP 100years)	0,051 kg CO <sub>2</sub> -Equiv.		Prod	uct manufacturing				

			g SO <sub>2</sub> Equiv.			Pro	Product manufacturing	
Ozone depletion potential		1,24·10 <sup>-8</sup> kg R <sub>11</sub> Equiv.			Product manufacturing			
(ODP, catalytic)								
Photochemical Ozone creation pot. 1,94·10 <sup>-5</sup> kg E (POCP)			Ethen-Equiv. Produ			duct manufad	cturing	
Enter the <b>residual products</b> fr	Enter the <b>residual products</b> from the manufacture of the product or its component parts						Not relevan	nt
			Proportion	n recy	cled			
			Material		Energy			
Residual product	Waste code	Quantity	recycled 9	<sup>%</sup> 1	recycled (		Comments	1-
Dangereous waste		1,42·10 <sup>-3</sup> kg					Raw materia	
Inert waste		3,89·10 <sup>-1</sup> kg					Raw materia	
Radioactive waste		7,12·10 <sup>-6</sup> kg					Raw materia	
Nonhazardous waste		1,10·10 <sup>-3</sup> kg					Raw materia	
Dangereous waste		0 kg					Product man	
Inert waste		1,94·10 <sup>-1</sup> kg					Product man	
Radioactive waste		1,55·10 <sup>-4</sup> kg					Product man	ufacturing
Nonhazardous waste		8,94·10 <sup>-5</sup> kg					Product man	ufacturing
Is there a description of the data accuracy for the manufacturing data?	⊠ Yes	□ No	If "yes", p	please ee "P	specify: CF – Me	echanic	al Anchor Gr	oup 2"
Other information:		•	ų.					
6 Distribution of fin	•			41				N
Does the supplier put into prac product?	<u> </u>				∐ Not	relevar	ıt Yes	⊠ No
Does the supplier put into praction the product?	ctice any system	s involving mul	ti-use packa	aging	☐ Not	relevar	t Yes	⊠ No
Does the supplier take back pa	ckaging for the	product?			☐ Not relevant ☐ Yes ☐		⊠ No	
Is the supplier affiliated to RE	PA?				☐ Not	relevar	t Xes	☐ No
Other information:								
7 Construction pha	se							
Are there any special requirem product during storage?	nents for the	☐ Not relevar	nt Yes		No I	f "yes",	please specify	y:
Are there any special requireme building products because of thi		☐ Not relevan	nt Yes		No I	If "yes", please specify:		
Other information:								
8 Usage phase								
Does the product involve any special requirements for intermediate goods regarding operation and maintenance?  Yes No If "yes", please specify:						:		
Does the product have any special energy supply requirements for operation?							• •	
Estimated technical service life for the product is to be entered according to one of the following options, a) or b):								
a) Reference service life estimated as being approx.	5 years	10 years	☐ 15 years	2: years			Comments	,
b) Reference service life estim	ated to be in the	e interval of	years					
Other information:								

## 9 Demolition

Is the product ready for apart)?	disassembly (taking	☐ Not relevant	⊠ Yes	□ No	If "yes", please specify: Anchor can be removed completely	
Does the product require to protect health and env demolition/disassembly?	ironment during	☐ Not relevant	Yes	□ No	If "yes", please specify:	
Other information:						
10 Waste manage	gement					
Is it possible to re-use all product?	l or parts of the	☐ Not relevant	⊠ Yes	□ No	If "yes", please specify: Bolt could be reused	
Is it possible to recycle n parts of the product?	naterials for all or	☐ Not relevant	⊠ Yes	□ No	If "yes", please specify: All materials can be fully recycled	
Is it possible to recycle e of the product?	nergy for all or parts	☐ Not relevant	⊠ Yes	□ No	If "yes", please specify: Anchor body can be recycled to engergy	
Does the supplier have a recommendations for re- energy recycling or wast	use, materials or	☐ Not relevant	Yes	⊠ No	If "yes", please specify:	
Enter the waste code for	the <b>supplied</b> product 1	7 04 05, 17 02 03				
Is the <b>supplied</b> product of					Yes No	
If the chemical composit delivery, meaning that an If it is unchanged, the fo	nother waste code is give	ven to the finished <b>built</b>	lt in from tha in product, th	t which it h nen this sho	and at the time of buld be entered here.	
Enter the waste code for	the <b>built in</b> product					
Is the <b>built in</b> product cl	assed as hazardous was	te?			Yes No	
Other information:						
11 Indoor enviro	onment (To add a	new green row, select and	copy an entire	empty row a	nd paste it in)	
When used as intended,		, and the second		he product	does not have any	
Type of emission	Quantity [µg/m²h]	or [mg/m³h]	Method o	Comments		
	4 weeks	26 weeks	measurer	nent		
G 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
Can the product itself give	•	:.	Not rele		Yes No	
Value  Can the product give rise	Us	Method of measurement				
Can the product give rise Value	Not relevant					
Can the product give rise	Method of measurement  ☐ Not relevant ☐ Yes ☐ No					
Value	<u> </u>	nit	Method of measurement			
Other information:		ш	I MEHIOU OI	measur Cill	JII	
outer information.						

References **Appendices**