

BUILDING PRODUCT DECLARATION BPD 3

in compliance with the guidelines of the Ecocycle Council, June 2007

1 Basic data

Product identification			Document ID BPD_1.0_HRD-P			
Product name	Product no/ID designation			Product group		
Hilti HRD-P 10 Fasadplugg	All Sizes			ZBE		
New declaration	In the case of a revised declaration			on		
Revised declaration	Has the product been changed?		The change relates to			
	☐ No ☐ Yes Changed pr			roduct can be identified by		
Drawn up/revised on (date) 16.04.2012		Inspected without revision on (date)				
Other information:						

2 Supplier information

Company nameHilti Svenska AB			Company reg. no/DUNS no 556064-7348			
Address Box 123			Contact person			
232 22 Arlöv, Sweden			Telephone 040 539300			
Website: www.hilti.se			E-mail info@se.hilti.com			
Does the company have an environmental management system?			⊠ Yes	□ No		
The company possesses certification in compliance with ISO 9000 ISO 14000		Other	If "other", please specify:			
Other informa	tion:	-	-			

3 Product information

Country of final manufacture Germany	If country of	cannot be sta	ý		
Area of use Light Duty fastening for	cations in virtually	all base ma	aterials		
Is there a Safety Data Sheet for this product?			Not relevant ■	Yes	☐ No
In accordance with the regulations of the Swedish Chemicals Agency, please state:	Classification Labelling			Not relevant	
Is the product registered in BASTA?				Yes	⊠ No
Has the product been co-labelled?	If "yes", please spe	ecify:			
Is there a Type III environmental declaration for the		Yes	⊠ No		
Other information:					

4 Contents (To add a new green row, select and copy an entire empty row and paste it in)

At the time of delivery, the product comprises the following parts/components, with the chemical composition stated:							
Constituent materials/ components	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classifi- cation	Comments		
Anchor body	Polyamide 6	15%	25038-54-4				
Anchor bolt	Steel, galvanized	85%	1.1132 1.5525 1.0234		Weight % average for 10x80 frame anchor		

Data in fields highlighted in green are requriements in compliance with the Ecocycle Council guidelines.

Other information:									
If the chemical composition of the product after it is built in differs from that at the time of delivery, the content of the finished built in product should be given here. If the content is unchanged, no data need be given in the following table.									
Constituent materials/ components	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classifi- cation	Comments				
Other information:									

5 Production phase

Resource utilisation and environmental imp ways:	pact during production o	f the item is repo	rted in	one of the following				
1) Inflows (goods, intermediate goods, energy etc) for the registered product into the manufacturing unit , and the outflows (emissions and residual products) from it, i.e. from "gate-to-gate".								
2) All inflows and outflows from the extraction of raw materials to finished products i.e. "cradle-to-gate".								
☑ 3) Other limitation. State what: cradle-to-grave								
The report relates to unit of product 1 piece Reported product The product's Product group Reported product Reported product Reported product Reported product group Reported product group Reported product group Reported product group Reported product Reported P								
Indicate raw materials and intermediate goo	Indicate raw materials and intermediate goods used in the manufacture of the product							
Raw material/intermediate goods	Quantity and unit		Comr	ments				
Steel	33,45g							
Polymer	4,15g							
Indicate recycled materials used in the manuf	facture of the product		⊠ N∙	ot relevant				
Type of material	Quantity and unit		Comr	ments				
Enter the energy used in the manufacture of the	ne product or its compone	nt parts	☐ Not relevant					
Type of energy	Quantity and unit		Comments					
Energy (heat of combustion)	1,59 MJ			Raw materials				
Energy reg. (heat of combustion)	3,92·10 ⁻² MJ			Raw materials				
Energy (heat of combustion)	1,27 MJ		Prod	uct manufacturing				
Energy reg. (heat of combustion)	1,06·10 ⁻¹ MJ		Product manufacturing					
Enter the transportation used in the manufact	ture of the product or its c	omponent parts	☐ Not relevant					
Type of transportation	Proportion %		Comments					
Sea	78		16800km; 0,3kg					
Truck	22		4716km; 0,7kg					
Enter the emissions to air, water or soil from component parts	the manufacture of the pr	roduct or its	□ N	ot relevant				
Type of emission	Quantity and unit		Comr	ments				
Global warming potential	0,117 kg CO ₂ -Equiv.		Raw	materials				
(GWP 100years)								
Acidification potential (AP)	3,50·10 ⁻⁴ kg SO ₂ Equiv.			Raw materials				
Ozone depletion potential	7,00·10 ⁻¹⁰ kg R11 Equ	ıiv.	Raw	materials				
(ODP, catalytic)								
Photochemical Ozone creation pot. (POCP)	4,77·10 ⁻⁵ kg Ethen-Ed	Juiν.	Raw	materials				
Global warming potential (GWP 100years)	0,073 kg CO ₂ -Equiv.		Prod	uct manufacturing				

Acidification potential (AP) 6,05·10 ⁻⁴						Pro	Product manufacturing	
Ozone depletion potential 1,48-		1,48·10 ⁻⁸ kg	l8·10 ⁻⁸ kg R₁₁ Equiv.				Product manufacturing	
(ODP, catalytic)								
Photochemical Ozone creation pot. 3,5·10 ⁻⁵ kg Ether (POCP)			nen-Equiv. Prod			duct manufad	cturing	
Enter the residual products fr	Enter the residual products from the manufacture of the product or its component parts						☐ Not relevant	
			Proportion Material	İı	cled Energy			
Residual product	Waste code	Quantity	recycled 9		recycled 9		Comments	
Dangereous waste		1,38·10 ⁻³ kg					Raw materia	
Inert waste		3,82·10 ⁻¹ kg				I	Raw materia	ls
Radioactive waste		7,00·10 ⁻⁶ kg					Raw materia	
Nonhazardous waste		1,06·10 ⁻³ kg					Raw materia	
Dangereous waste		0 kg					Product man	
Inert waste		1,91·10 ⁻¹ kg					Product man	
Radioactive waste		1,48·10 ⁻⁴ kg					Product man	
Nonhazardous waste		9,44·10 ⁻⁵ kg					Product man	ufacturing
Is there a description of the data accuracy for the manufacturing data?	⊠ Yes	□ No	If "yes", p Details s	olease ee "P	specify: CF Grou	p 1 Ga	alvanized"	
Other information:			•					
	Does the supplier put into practice a system for returning load carriers for the Not relevant Yes No							
Does the supplier put into pract for the product?	ctice any system	s involving mul	ti-use packa	iging	☐ Not	relevan	t Yes	⊠ No
Does the supplier take back pa	ckaging for the	product?			□Not	relevan	t Yes	⊠ No
Is the supplier affiliated to RE		r		□ Not relevant ⊠ Yes □			□ No	
Other information:								
7 Construction pha	se							
Are there any special requirem product during storage?	nents for the	☐ Not relevan	nt Yes		No If	If "yes", please specify:		
Are there any special requireme building products because of thi		☐ Not relevan	nt Yes		No If	If "yes", please specify:		
Other information:								
8 Usage phase								
Does the product involve any special requirements for intermediate goods regarding operation and maintenance?						:		
Does the product have any special energy supply requirements for operation?							:	
Estimated technical service life for the product is to be entered according to one of the following options, a) or b):								
a) Reference service life estimated as being approx.	5 years	10 years	15 years	25 years] >50 ars	Comments	;
b) Reference service life estim	ated to be in the	e interval of	years					
Other information:								

9 Demolition

Is the product ready for (apart)?	lisassembly (taking	☐ Not relevant	⊠ Yes	s 🗌 No	If "yes", please specify: Anchor can be removed completely			
Does the product require to protect health and env demolition/disassembly?	ironment during	☐ Not relevant	Yes	s No	If "yes", please specify:			
Other information:			•					
10 Waste mana	gement							
Is it possible to re-use all product?	l or parts of the	☐ Not relevant	⊠ Yes	s 🗌 No	If "yes", please specify: bolt could be reused			
Is it possible to recycle n parts of the product?	naterials for all or	☐ Not relevant	⊠ Yes	s No	If "yes", please specify: all materials can be fully recycled			
Is it possible to recycle e of the product?	nergy for all or parts	☐ Not relevant	⊠ Yes	s No	If "yes", please specify: anchor body can be recycled to engergy			
Does the supplier have a recommendations for re- energy recycling or wast	use, materials or	☐ Not relevant	☐ Yes	s No	If "yes", please specify:			
Enter the waste code for	the supplied product 1	7 04 05, 17 02 03						
Is the supplied product of					Yes No			
delivery, meaning that a	If the chemical composition of the product differs after having been built in from that which it had at the time of delivery, meaning that another waste code is given to the finished built in product, then this should be entered here. If it is unchanged, the following details can be omitted.							
Enter the waste code for	the built in product							
Is the built in product cl	assed as hazardous was	te?			Yes No			
Other information:								
11 Indoor enviro	onment (To add a i	new green row, select and	copy an en	tire empty row ar	d paste it in)			
When used as intended,		, and the second		The product missions	does not have any			
Type of emission	Quantity [µg/m²h]		Method of Comments					
	4 weeks	26 weeks	measu	ırement				
_					ļ			
			M					
Can the product itself give rise to any noise?				Not relevant Yes No				
Value Unit			Method of measurement					
Can the product give rise to electrical fields?			Not relevant					
Value Unit				Method of measurement				
Can the product give rise to magnetic fields? Value Unit								
Other information:	UI	.111	Memoc	i oi measureme	III.			
Outer information.								

References **Appendices**