According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2021
2.1	21.09.2022	800010026147	Print Date 27.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: Shell Tellus S2 VX 46
Product code	: 001F8433

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Hydraulic oil
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup- plier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	: Univar Solutions AB Box 4072 SE-203 11 Malmö
Telephone Telefax Contact for Safety Data Sheet	: 040-352800 : 040-125172 : SDS@univar.com

1.4 Emergency telephone number

: Outside office hours: SOS Alarm: 040-6769040;112, ask ; for Poison center; Kemiakuten: 020-996000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms Signal word		No Hazard Symbol required No signal word
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP criteria.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version 2.1	Revision Date: 21.09.2022	SDS Number: 800010026147	Date of last issue: 19.04.2021 Print Date 27.09.2022
		Not classi ENVIRON	HAZARDS: ified as a health hazard under CLP criteria. NMENTAL HAZARDS: ified as environmental hazard according to
Precau	utionary statements	Prevention:	
		No preca	utionary phrases.
		Response:	
		No preca	utionary phrases.
		Storage:	
		No preca	utionary phrases.
		Disposal:	
		No preca	utionary phrases.
Safety	data sheet available o	n request.	

Sensitising components	:	Contains triazole derivatives.
		May produce an allergic reaction.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

High-pressure injection under the skin may cause serious damage including local necrosis. Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346. Classification based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L). * contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65-0 (01-2119480177-29), 64742-56-9 (01-2119480132-48), 64742-65-

0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69-9 (01-0000020163-82), 68649-12-7 (01-2119527646-33), 151006-60-9 (01-2119523580-47), 163149-28-8 (01-

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2021
2.1	21.09.2022	800010026147	Print Date 27.09.2022

2119543695-30), 64741-88-4 (01-2119488706-23), 64741-89-5 (01-2119487067-30).

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Not Assigned	Asp. Tox. 1; H304	0 - 90
Triazole derivative	91273-04-0 401-280-0 613-072-00-9	Skin Corr. 1B; H314 Skin Sens. 1A; H317 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	0 - < 0,09

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
If inhaled :	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
	When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop. Obtain medical attention even in the absence of apparent wounds.
In case of eye contact	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Vers 2.1	ion	Revision Date: 21.09.2022		OS Number: 0010026147	Date of last issue: 19.04.2021 Print Date 27.09.2022		
				rinsing. If persistent irrit	ation occurs, obtain medical attention.		
	lf swalle	owed	:		eatment is necessary unless large quantities however, get medical advice.		
4.2 M	Most im	portant symptoms	and e	effects, both act	ite and delayed		
	Sympto	oms	:	of black pustule	itis signs and symptoms may include formation as and spots on the skin of exposed areas. result in nausea, vomiting and/or diarrhoea.		
				Local necrosis is evidenced by delayed onset of pain and tissue damage a few hours following injection.			
4.3 I	ndicatio	on of any immediat	e meo	lical attention a	nd special treatment needed		
Treatment		:	Notes to doctor/physician: Treat symptomatically. High pressure injection injuries require prompt surgical inter- vention and possibly steroid therapy, to minimise tissue dam- age and loss of function. Because entry wounds are small and do not reflect the seri- ousness of the underlying damage, surgical exploration to determine the extent of involvement may be necessary. Local anaesthetics or hot soaks should be avoided because they can contribute to swelling, vasospasm and ischaemia. Prompt surgical decompression, debridement and evacuation of for- eign material should be performed under general anaesthet- ics, and wide exploration is essential.				
SEC	CTION \$	5: Firefighting me	asur	es			
5.1 E	Extingu	ishing media					
	Suitable	e extinguishing medi	a :		ray or fog. Dry chemical powder, carbon diox- rth may be used for small fires only.		
	Unsuita media	ble extinguishing	:	Do not use wat	er in a jet.		
5.2 \$	Special	hazards arising fro	m the	substance or i	nixture		
	Specific fighting	c hazards during fire	- :	A complex mixt gases (smoke).	bustion products may include: ure of airborne solid and liquid particulates and de may be evolved if incomplete combustion		

5.3 Advice for firefighters

Special protective equipment	:	Proper protective equipment including chemical resistant
for firefighters		gloves are to be worn; chemical resistant suit is indicated if

Unidentified organic and inorganic compounds.

occurs.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version 2.1	Revision Date: 21.09.2022		DS Number: 00010026147	Date of last issue: 19.04.2021 Print Date 27.09.2022
			Breathing Appara a confined space	h spilled product is expected. Self-Contained atus must be worn when approaching a fire in e. Select fire fighter's clothing approved to ds (e.g. Europe: EN469).
Sp od	ecific extinguishing meth- s	:		g measures that are appropriate to local cir- the surrounding environment.

SECTION 6: Accidental release measures

5.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions	 6.1.1 For non emergency personnel: Avoid contact with skin and eyes. 6.1.2 For emergency responders: Avoid contact with skin and eyes. 			
6.2 Environmental precautions				
Environmental precautions	 Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers. Local authorities should be advised if significant spillages 			
	cannot be contained.			
6.3 Methods and material for cor	ntainment and cleaning up			
Methods for cleaning up	 Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other 			

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

suitable material and dispose of properly.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	 Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk as- sessment of local circumstances to help determine appropri ate controls for safe handling, storage and disposal of this material. 	-
Advice on safe handling	: Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists.	

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Versio 2.1	on	Revision Date: 21.09.2022		S Number: 0010026147	Date of last issue: 19.04.2021 Print Date 27.09.2022		
				worn and proper h	oduct in drums, safety footwear should be andling equipment should be used. If any contaminated rags or cleaning mate- event fires.		
Product Transfer		Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.			
7.2 C	onditio	ons for safe storage, i	ncl	uding any incomp	atibilities		
Further information on stor- age stability		:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.				
F	Packagi	ing material	:	ering the packagin			
C	Contain	er Advice	: Polyethylene containers should not be exposed to hig peratures because of possible risk of distortion.				
7.3 Si	pecific	end use(s)					
Specific use(s)		:	Not applicable				

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Oil mist, mineral	Not As-	NGV (Mist)	1 mg/m3	SE AFS		
	signed					
	Further inform	nation: Certain oils w	hen heated give rise to polyc	yclic aromatic		
			carcinogenic. In addition, m			
			stances, If the oil is used as a	cutting fluid or		
	when using a	queous cutting fluid,	see Note 43 on cutting fluid.			
Oil mist, mineral		KGV (Mist)	3 mg/m3	SE AFS		
			hen heated give rise to polyc			
	hydrocarbons (PAH) which can be carcinogenic. In addition, mineral oils in					
	themselves ca	an contain such subs	stances, If the oil is used as a	cutting fluid or		
			see Note 43 on cutting fluid.	J		
Oil mist, mineral		TWA (inhalable	5 mg/m3	US. ACGIH		
		fraction)		Threshold		
				Limit Values		

Biological occupational exposure limits

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2021
2.1	21.09.2022	800010026147	Print Date 27.09.2022

8.2 Exposure controls

Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection :	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection	
Remarks :	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with break-through time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version 2.1	Revision Date: 21.09.2022	SDS Number: 800010026147	Date of last issue: 19.04.2021 Print Date 27.09.2022			
		recognize tha may not be av time maybe a and replacem a good predic dependent on Glove thickne	ash protection we recommend the same but t suitable gloves offering this level of protection vailable and in this case a lower breakthrough cceptable so long as appropriate maintenance ent regimes are followed. Glove thickness is not tor of glove resistance to a chemical as it is the exact composition of the glove material. ss should be typically greater than 0.35 mm the glove make and model.			
Skin and body protection		work clothes.	 Skin protection is not ordinarily required beyond standard work clothes. It is good practice to wear chemical resistant gloves. 			
Respir	ratory protection	No respiratory conditions of In accordance tions should b If engineering tions to a leve select respira cific condition Check with re Where air-filte priate combin Select a filter and vapours [protection is ordinarily required under normal			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	clear
Odour	:	Data not available
Odour Threshold	:	Data not available
pour point	:	-36 °C Method: ISO 3016
Melting / freezing point		Data not available
Initial boiling point and boiling range	:	> 280 °Cestimated value(s)
Flammability		
Flammability (solid, gas)	:	Not applicable

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Vers 2.1	ion Revision Date: 21.09.2022		S Number: 0010026147	Date of last issue: 19.04.2021 Print Date 27.09.2022			
	Flammability (liquids)	:	Not classified as	flammable but will burn.			
	Lower explosion limit and upp	er ex	er explosion limit / flammability limit				
	Upper explosion limit / upper flammability limit	:	Typical 10 %(V)				
	Lower explosion limit / Lower flammability limit	:	Typical 1 %(V)				
	Flash point	:	220 °C Method: ISO 259	2			
	Auto-ignition temperature	:	> 320 °C				
	Decomposition temperature Decomposition tempera- ture	:	Data not available	e			
	рН	:	Not applicable				
	Viscosity Viscosity, dynamic	:	Data not available	e			
	Viscosity, kinematic	:	46 mm2/s (40,0 ° Method: ASTM D				
			7,9 mm2/s (100 ° Method: ASTM D				
			2630 mm2/s (-20 Method: ASTM D				
	Solubility(ies) Water solubility	:	negligible				
	Solubility in other solvents	:	Data not available	e			
	Partition coefficient: n- octanol/water	:		ation on similar products)			
	Vapour pressure	:	< 0,5 Pa (20 °C) estimated value(s	5)			
	Relative density	:	0,856 (15 °C)				
	Density	:	856 kg/m3 (15,0 Method: ISO 121				
	Relative vapour density	:	> 5				

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version 2.1	Revision Date: 21.09.2022	SDS Number: 800010026147	Date of last issue: 19.04.2021 Print Date 27.09.2022		
9.2 Other information Explosives		: Classification	n Code: Not classified		
Oxidizing properties		: Data not ava	: Data not available		
Flammability (liquids)		: Not classifie	d as flammable but will burn.		
Evaporation rate		: Data not ava	ilable		
Conductivity		: This materia	I is not expected to be a static accumulator.		

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with strong oxidising agents.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Strong oxidising agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Acute toxicity

Product:

Acute oral toxicity

: LD50 (rat): > 5.000 mg/kg Remarks: Low toxicity:

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version 2.1	Revision Date: 21.09.2022		0S Number: 0010026147	Date of last issue: 19.04.2021 Print Date 27.09.2022	
			Based on availa	able data, the classification criteria are not met.	
Acut	e inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.		
Acut	Acute dermal toxicity		LD50 (Rabbit): > 5.000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met		
Skin	corrosion/irritation				
Proc	duct:				
Rem	Remarks		Slightly irritating to skin. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Based on available data, the classification criteria are not met.		
Seri	ous eye damage/eye ir	ritati	on		
Proc	duct:				
Rem	narks	:	Slightly irritating Based on availa	g to the eye. able data, the classification criteria are not met.	
Res	Respiratory or skin sensitisation		n		
Proc	duct:				
Rem	narks	:	Not a sensitiser	and skin sensitisation: ·. able data, the classification criteria are not met.	
<u>Com</u>	nponents:				
Tria	zole derivative:				
Rem	arks	:	May cause an a	allergic skin reaction in sensitive individuals.	
Gerr	n cell mutagenicity				
Proc	duct:				
Gen	otoxicity in vivo	:	Remarks: Non Based on availa	mutagenic able data, the classification criteria are not met.	
	n cell mutagenicity- As- ment	:	This product do categories 1A/1	es not meet the criteria for classification in B.	
Carc	cinogenicity				
Proc	duct:				
Rem	arks	:	Not a carcinoge	en.	

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

ersion .1	Revision Date: 21.09.2022	SDS Number: 800010026147	Date of last issue: 19.04.2021 Print Date 27.09.2022		
		Based on avail	able data, the classification criteria are not met.		
Remarks		 Product contains mineral oils of types shown to be non- carcinogenic in animal skin-painting studies. Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC). 			
Carcinogenicity - Assess- ment		•	: This product does not meet the criteria for classification in categories 1A/1B.		

Material	GHS/CLP Carcinogenicity Classification		
Highly refined mineral oil	No carcinogenicity classification.		

Reproductive toxicity

	Product: Effects on fertility	:	Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.		
	Reproductive toxicity - As- sessment	:	This product does not meet the criteria for classification in categories 1A/1B.		
	STOT - single exposure				
	<u>Product:</u> Remarks	:	Based on available data, the classification criteria are not met.		
	STOT - repeated exposure				
	<u>Product:</u> Remarks	:	Based on available data, the classification criteria are not met.		
	Aspiration toxicity				
	Product: Not an aspiration hazard., Based on available data, the classification criteria are not met.				
11.2	11.2 Information on other hazards				
	Further information				
	<u>Product:</u> Remarks	:	Used oils may contain harmful impurities that have accumu- lated during use. The concentration of such impurities will depend on use and they may present risks to health and the		

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version 2.1	Revision Date: 21.09.2022	SDS Number: 800010026147	Date of last issue: 19.04.2021 Print Date 27.09.2022		
			on disposal. should be handled with caution and skin contact ar as possible.		
Remarks		0,	High pressure injection of product into the skin may lead to local necrosis if the product is not surgically removed.		
Remarks		: Slightly irritat	Slightly irritating to respiratory system.		
Remarks		: Classification frameworks r	s by other authorities under varying regulatory nay exist.		

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to algae/aquatic plants	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to fish (Chronic tox- icity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to microorganisms	:	Remarks: Based on available data, the classification criteria are not met.
Components:		
Triazole derivative:		
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2021
2.1	21.09.2022	800010026147	Print Date 27.09.2022

12.2 Persistence and degradability

Product:	
Biodegradability :	Remarks: Not readily biodegradable. Major constituents are inherently biodegradable, but contains com- ponents that may persist in the environment. Persistent per IMO criteria. International Oil Pollution Compensation (IOPC) Fund definition: "A non-persistent oil is oil, which, at the time of shipment, consists of hydrocarbon fractions, (a) at least 50% of which, by volume, distills at a temperature of 340°C (645°F) and (b) at least 95% of which, by volume, distils at a temperature of 370°C (700°F) when tested by the ASTM Method D-86/78 or any subsequent revision thereof."
12.3 Bioaccumulative potential	
Product: Bioaccumulation :	Remarks: Contains components with the potential to bioaccumulate.
12.4 Mobility in soil	
Product:	
Mobility :	Remarks: Liquid under most environmental conditions., If it enters soil, it will adsorb to soil particles and will not be mobile.
	Remarks: Floats on water.
12.5 Results of PBT and vPvB asse	essment
Product:	
Assessment	This mixture does not contain any REACH registered sub- stances that are assessed to be a PBT or a vPvB
12.6 Endocrine disrupting propertie	es
12.7 Other adverse effects	
Product: Additional ecological infor- : mation	Does not have ozone depletion potential, photochemical ozone crea- tion potential or global warming potential. Product is a mixture of non-volatile components, which will not be released to air in any significant quantities under normal conditions of use.
	Poorly soluble mixture. Causes physical fouling of aquatic organisms.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2021
2.1	21.09.2022	800010026147	Print Date 27.09.2022

Mineral oil does not cause chronic toxicity to aquatic organisms at concentrations less than 1 mg/l.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose into the environment, in drains or in water courses Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination. Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.
	MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides technical aspects at controlling pollutions from ships.
	Disposal, transport, storage and handling should be in ac- cordance with SE regulation Avfallsförordning (2011:927).
Contaminated packaging	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
	Packing: Emptying: Place the package upside down, and tilt slightly, circa 10 degrees, to enable drainage in such a way that the lowest part of the package is at the exit orifice. On some packing an extra hole must be made. Drainage should be carried out at room temperature (at least 15 °C). Wait until the package is drip dry. Do not close package after draining. Please note the risks connected with emptying package and containers with flammable liquids. Emptied package should be ventilated in a safe place away from sparks and fire. Residues may be an explosion risk. Do not puncture, cut or weld in non- cleaned package, containers or drums.

Local legislation

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version 2.1	Revision Date: 21.09.2022	SDS Number: 800010026147	Date of last issue: 19.04.2021 Print Date 27.09.2022
Waste	catalogue	: EU Waste Disp	osal Code (EWC):
Waste	Code	: 13 01 10*	
Remarks		national, and lo	d be in accordance with applicable regional, cal laws and regulations. f waste is always the responsibility of the end
		15 01 02: Plast 15 01 04 metal Packages conta not been empti waste and mus Suggestion for	lic packaging. aining any remaining product and which have ed until drip dry,must be handled as dangerous t be well sealed before disposal. waste code: aging containing residues of or contaminated

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version 2.1	Revision Date: 21.09.2022		S Number: 0010026147	Date of last issue: 19.04.2021 Print Date 27.09.2022	
IMDG IATA 14.4 Packing group			Not regulated as a dangerous good Not regulated as a dangerous good		
ADR		:	Not regulated as a dangerous good		
RID		:	Not regulated as a	a dangerous good	
IMDG IATA			Not regulated as a Not regulated as a		
14.5 Enviro	onmental hazards				
ADR		:	Not regulated as a	a dangerous good	
RID		:	Not regulated as a	a dangerous good	
IMDG		:	Not regulated as a	a dangerous good	
14.6 Special precautions for user					
Remai	ks		for special precau	ns: Refer to Section 7, Handling & Storage, tions which a user needs to be aware of or with in connection with transport.	

14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - List of substances subject to authorisation : Pr (Annex XIV) tic

: Product is not subject to Authorisation under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

The components of this product are reported in the following inventories:		
REACH	:	All components listed or polymer exempt.
TSCA	:	All components listed.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2021
2.1	21.09.2022	800010026147	Print Date 27.09.2022

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H304 :	May be fatal if swallowed and enters airways.
H314 :	Causes severe skin burns and eye damage.
H317 :	May cause an allergic skin reaction.
H410 :	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic :	Long-term (chronic) aquatic hazard
Asp. Tox. :	Aspiration hazard
Skin Corr. :	Skin corrosion
Skin Sens. :	Skin sensitisation
SE AFS :	Sweden. Occupational Exposure Limit Values
SE AFS / NGV :	Time Weighted Average
SE AFS / KGV :	Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Tellus S2 VX 46

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2021
2.1	21.09.2022	800010026147	Print Date 27.09.2022

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information		
Training advice	:	Provide adequate information, instruction and training for op- erators.
Other information	:	No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous sub- stances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS. A vertical bar () in the left margin indicates an amendment from the previous version.
Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SE / EN